Gastroenterology Pleural Fluid Routine Analysis, Cirrhosis-Panel
✓ 9 Pre-Procedure
Order serum platelet, INR and PTT if not done in the last 5 days. Order type and screen if not previously done and patient is requiring plasma or platelets
US Thoracentesis Left
Note if requesting diagnostic or therapeutic
US Thoracentesis Right Note if requesting diagnostic or therapeutic
✓ Pleural Fluid
Cell Count, Body Fluid Lung, Right Once, First occurrence today at 1253 Pleural Fluid, Lung, Right
Total Protein
☐ Albumin
☐ Lactate Dehydrogenase (LD), Body Fluid
☐ pH, Body Fluid☐ Glucose, Random
☐ Triglycerides
☐ Amylase
☐ Lipase
□ Bilirubin, Total
☐ Gynecological Cytology
☐ Non-Gynecological Cytology
✓ Microbiology Panel
✓ Fluid Culture, Routine Lung, Right Once, First occurrence today at 1254
☐ Fungal Culture
☐ Mycobacteria Culture
✓ Post-Procedure
☐ Nursing Communication - Consider ordering Plasma Protein Albumin 25% panel if expected to drain >3L pleural fluid
✓ Notify Most Responsible Health Practitioner (MRHP)
Until discontinued, starting today at 1255, Until Specified Other: If indwelling drain placed notify MRHP when returns to unit
✓ Notify Most Responsible Health Practitioner (MRHP)
Until discontinued, starting today at 1255, Until Specified
Other: If pleural fluid bloody, cloudy or milky
✓ Drain Care
Until discontinued, starting today at 1255, Until Specified Drain care instructions: If drain left in, drain a maximum of 1.5L every 6 hours
☐ Nursing Communication - Record total fluid drained and albumin given
☐ GR Chest 2 Projections
If clinically required. Must indicate rationale (e.g. acute shortness of breath, challenging thoracentesis) and preferred timing (eg. post drain removal)

© 2021, Alberta Health Services, CKCM

This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License. The license does not apply to content for which the Alberta Health Services is not the copyright owner. To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.